



March 31, 2016

**VIA EMAIL & REGULAR MAIL**

Ms. Kimberly Martone  
Director of Operations  
Office of Health Care Access  
410 Capitol Avenue, MS #13HCA  
P.O. Box 340308  
Hartford, CT 06134

RE: Bridgeport Hospital

Dear Ms. Martone:

Please find enclosed a Certificate of Need Equipment Replacement Notification Form for the replacement and relocation of a magnetic resonance imaging scanner owned by Bridgeport Hospital, authorized under Docket Number 12-31766-CON. Please contact me at 203-688-5721 with any questions.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Nancy Rosenthal'.

Nancy Rosenthal  
VP, Strategy and Regulatory Planning

Enclosures

789 Howard Avenue  
New Haven, CT 06519



STATE OF CONNECTICUT  
DEPARTMENT OF PUBLIC HEALTH  
*Office of Health Care Access*

**Certificate of Need Equipment Replacement Notification Form**

Pursuant to 19a-638(b)(18), an existing imaging equipment may be replaced, if such equipment was acquired through certificate of need approval or a certificate of need determination, provided a health care facility, provider physician or a person notifies OHCA of the date on which the equipment is replaced and the disposition of the replaced equipment.

**Please complete the following:**

Provider Name & Address:	Bridgeport Hospital 267 Grant Street Bridgeport, CT 06610
Name and description of the equipment to be replaced:	GE 1.5T HDXT MRI
Docket or Report number of the CON authorization of the existing imaging equipment being replaced:	Docket Number 12-31766-CON
Address of the existing imaging equipment:	2595 Main Street Stratford, CT 06615
Name and description of the replacement equipment:	Siemens 3T Magnetom Skyra MRI
Location where replacement equipment will be operated:	5520 Park Avenue Trumbull, CT 06611
The date the replaced equipment was replaced:	April 2016
The disposition of the replaced equipment	Trade-in with seller.

Person Completing the form: Matt McKernan, S. Planner  
Name Title  
[Signature], 3/31/2016  
Signature Date